ELSEVIER

Wear 194 (1996) 247

WEAR

Author Index of Volume 194

Adachi, K., 137
Ai, C.-F., 12
Alcock, J., 219, 228

Bai, M., 126
Baillie, C., 178
Berthier, Y., 116
Besshi, T., 204

Cao, L.L., 198
Cartledge, H.C.Y., 178
Cavin, O.B., 168
Chen, I.K., 156
Czołczyński, K., 190

Daud, A.R., 54
Dong, G., 95

Fischer, A., 238

Gawne, D.T., 95
Griffiths, B.J., 95
Gruziński, R., 212
Grzesik, W., 143
Gu, Z., 174
Guo, H., 126
Guu, Y.Y., 12, 22

Harun, M., 54
Huang, P., 107
Hubbard, C.R., 168

Jang, D.Y., 168
Jensen, S., 219, 228
Jullien, A., 116

Kato, K., 137
Khonsari, M.M., 60
Kjeldsteen, P., 219, 228
Kolmogorov, V., 71
Kozaczek, K.J., 168

Lei, T., 44
Li, C., 103
Lin, J.F., 1, 12, 22
Lin, S.C., 156
Liu, J., 174
Liu, M.H., 1
Liu, W., 80, 103
Lovell, M.R., 60
Lu, M.L., 198
Luo, J., 107

Ma, Y., 174
Mai, Y.-W., 38, 178
Marangoni, R.D., 60
Marynowski, K., 190
Meurisse, M.H., 116
Min, J., 149

Nakayama, K., 185

Obi, A.I., 30
Oyinlola, A.K., 30

Płaza, S., 212

Richardson, M.O.W., 149

Sasatani, Y., 137
Sato, T., 204
Sato, Y., 163
Savenko, V.I., 86
Shchukin, E.D., 86
Sun, Y., 103

Tada, Y., 204
Talib, I.A., 54
Tang, S.Y., 198
Toft Sørensen, O., 219, 228

Wang, X., 149
Wang, Y., 44
Watkins, T.R., 168
Wen, S., 107
Wilcox, G.D., 149
Wu, J.D., 1
Wu, Y., 174

Xue, Q., 80, 126

Yang, S., 103

Zhang, J., 149
Zhang, L., 38
Zhang, Z., 38, 80

Elsevier Science S.A.

ELSEVIER

Wear 194 (1996) 249–252

WEAR

Subject Index of Volume 194

Abrasive wear
study on wear behavior of low Cr steel under the effect of impact loading, 198
Adhesion
the tribological characteristics of titanium nitride coatings. Part I. Coating thickness effects, 12
the tribological characteristics of titanium nitride coatings. Part II. Comparisons of two deposition processes, 22
AES
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80
Aluminium matrix composites
reciprocal sliding wear of SiC particle-reinforced Al–Cu aluminium matrix composites against stainless steel, high speed tool steel and ceramics. II. Wear mechanisms, 126
Aluminium–silicon alloys
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Annealing
effects of surface-finishing condition and annealing on transformation sensitivity of a 3 mol.% Y_2O_3 stabilized tetragonal zirconia surface under interaction of lubricant, 204

Carbon composite
determination of tribological history and wear through visualisation in lubricated contacts using a carbon-based composite, 116
Carbon fibre
drilling carbon fiber-reinforced composite material at high speed, 156
Cathodic arc
the tribological characteristics of titanium nitride coatings. Part I. Coating thickness effects, 12
Cavitation–abrasion synergism
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149
Cavitation erosion
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149
Ceramic coatings
analysis of the friction and wear mechanisms of structural ceramic coatings. Part 1: The effect of processing conditions, 1
Ceramics
tribocharging and friction in insulators in ambient air, 185
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228
Clutch
determination of tribological history and wear through visualisation in lubricated contacts using a carbon-based composite, 116
Coefficient of friction
frictional characteristics of fatty-based oils in wire drawing, 30
Composites
the running-in wear of a steel/SiC_p-Al composite system, 38
drilling carbon fiber-reinforced composite material at high speed, 156
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178
Crystal lattice defects
new applications of the Rehbinder effect in tribology A review, 86
Crystallinity
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178
Cylindrical rolling elements
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60

Die
frictional characteristics of fatty-based oils in wire drawing, 30
Diphenyl disulphide
homogeneous and heterogeneous thermal decomposition of diphenyl disulphide, 212
Drilling
drilling carbon fiber-reinforced composite material at high speed, 156
Dry sliding
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Dry sliding wear
wear behavior of steel 1080 with different microstructures during dry sliding, 44

Elasto-plastic deformation
friction and wear model for a heavily loaded sliding pair. Part I. Metal damage and fracture model, 71
Energy consumption
wear behavior of steel 1080 with different microstructures during dry sliding, 44
EPMA
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80
Extreme pressure and antiwear
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80

Fatty-based oils
frictional characteristics of fatty-based oils in wire drawing, 30
Fibre-reinforced composite
drilling carbon fiber-reinforced composite material at high speed, 156
Finish turning
a revised model for predicting surface roughness in turning, 143
Finite element method
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60
Fractal dimension
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228

Elsevier Science S.A.

Fractionated lubrication
determination of tribological history and wear through visualisation in lubricated contacts using a carbon-based composite, 116
Friction
analysis of the friction and wear mechanisms of structural ceramic coatings. Part 1: The effect of processing conditions, 1
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178
tribocharging and friction in insulators in ambient air, 185
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219
Friction and wear
friction and wear behaviors of nitrogen ion-implanted polyimide against steel, 103
Friction drive
the micro-mechanism of friction drive with ultrasonic wave, 137
Friction map
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219

Gas bearings
stability of symmetrical rotor supported in flexibly mounted, self-acting gas journal bearings, 190
Grease additive
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80
Grinding
effects of surface-finishing condition and annealing on transformation sensitivity of a 3 mol.% Y_2O_3 stabilized tetragonal zirconia surface under interaction of lubricant, 204
Grit-blasting
the erosion of steel surfaces by grit-blasting as a preparation for plasma spraying, 95

Hard films
analysis of the friction and wear mechanisms of structural ceramic coatings. Part 1. The effect of processing conditions, 1
Heavy rail
benefits of heavy rail on high-speed railways and design of 75G rail using coordinates, 163
High speed railway
benefits of heavy rail on high-speed railways and design of 75G rail using coordinates, 163
Hydraulic attack
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149

Interface
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178

Lapping
effects of surface-finishing condition and annealing on transformation sensitivity of a 3 mol.% Y_2O_3 stabilized tetragonal zirconia surface under interaction of lubricant, 204
Load-carrying mechanism
homogeneous and heterogeneous thermal decomposition of diphenyl disulphide, 212
Low Cr steel
study on wear behavior of low Cr steel under the effect of impact loading, 198
Low-speed friction measurements
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60
Lubricant
frictional characteristics of fatty-based oils in wire drawing, 30
Lubricating mechanism
lubricating mechanisms of sulfurized olefin on oxynitrided steel surface under boundary lubrication condition, 174
Lubrication regime transition
thin film lubrication. Part I. Study on the transition between EHL and thin film lubrication using a relative optical interference intensity technique, 107

Machinability
surface residual stresses in machined austenitic stainless steel, 168
Machining
surface residual stresses in machined austenitic stainless steel, 168
Materials selection
well-founded selection of materials for improved wear resistance, 238
Mechanisms
the running-in wear of a steel/SiC_p-Al composite system, 38
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178
Metal fracture
friction and wear model for a heavily loaded sliding pair Part I. Metal damage and fracture model, 71
Microdamage healing
friction and wear model for a heavily loaded sliding pair Part I. Metal damage and fracture model, 71
Micro-displacement
the micro-mechanism of friction drive with ultrasonic wave, 137
Microhardness
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Microstructures
wear behavior of steel 1080 with different microstructures during dry sliding, 44
Modelling
the running-in wear of a steel/SiC_p-Al composite system, 38
Molecular–mechanical theory of friction
a revised model for predicting surface roughness in turning, 143
MoS_2 coated ball bearings
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60

Nano-film measurement
thin film lubrication. Part I. Study on the transition between EHL and thin film lubrication using a relative optical interference intensity technique, 107
Nitrogen ion implantation
friction and wear behaviors of nitrogen ion-implanted polyimide against steel, 103
Non-metallic coating
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149
Non-monotonic character of damage accumulation
friction and wear model for a heavily loaded sliding pair. Part I. Metal damage and fracture model, 71

Oxynitrided steel surface
lubricating mechanisms of sulfurized olefin on oxynitrided steel surface under boundary lubrication condition, 174

Plasma spraying
the erosion of steel surfaces by grit-blasting as a preparation for plasma spraying, 95
Plasticizing effect
new applications of the Rehbinder effect in tribology A review, 86
Polyimide
friction and wear behaviors of nitrogen ion-implanted polyimide against steel, 103

Polymer
tribocharging and friction in insulators in ambient air, 185
Precipitation hardening
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Precision bearing control
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60

Rail failure
benefits of heavy rail on high-speed railways and design of 75G rail using coordinates, 163
Rail grinding
benefits of heavy rail on high-speed railways and design of 75G rail using coordinates, 163
Rail profile
benefits of heavy rail on high-speed railways and design of 75G rail using coordinates, 163
Rare earth complex
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80
Residual stresses
new applications of the Rehbinder effect in tribology A review, 86
surface residual stresses in machined austenitic stainless steel, 168
Rotating disk test
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149
Running-in wear
the running-in wear of a steel/SiC_p-Al composite system, 38

Schiff base
tribological properties and lubricating mechanisms of the rare earth complex as a grease additive, 80
Self-excited vibrations
stability of symmetrical rotor supported in flexibly mounted, self-acting gas journal bearings, 190
Semi-cone angle
frictional characteristics of fatty-based oils in wire drawing, 30
Silt abrasion
assessment of resistance of non-metallic coatings to silt abrasion and cavitation erosion in a rotating disk test rig, 149
Solid lubricant films
a finite element analysis of the frictional forces between a cylindrical bearing element and MoS_2 coated and uncoated surfaces, 60
Stability
stability of symmetrical rotor supported in flexibly mounted, self-acting gas journal bearings, 190
Stainless steel
surface residual stresses in machined austenitic stainless steel, 168
Steel
the running-in wear of a steel/SiC_p-Al composite system, 38
Steel 1080
wear behavior of steel 1080 with different microstructures during dry sliding, 44
Sulfurized olefin
lubricating mechanisms of sulfurized olefin on oxynitrided steel surface under boundary lubrication condition, 174
Surface
surface residual stresses in machined austenitic stainless steel, 168
Surface analysis
study on wear behavior of low Cr steel under the effect of impact loading, 198
Surface potential
tribocharging and friction in insulators in ambient air, 185
Surface roughness
the erosion of steel surfaces by grit-blasting as a preparation for plasma spraying, 95
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228
Surface roughness map
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228
Surface toughness
a revised model for predicting surface roughness in turning, 143
Surfactants
new applications of the Rehbinder effect in tribology A review, 86

Tangential coefficient
the micro-mechanism of friction drive with ultrasonic wave, 137
Theory of metal fracture
friction and wear model for a heavily loaded sliding pair. Part I. Metal damage and fracture model, 71
Thermal decomposition
homogeneous and heterogeneous thermal decomposition of diphenyl disulphide, 212
Thermal stability
wear behavior of steel 1080 with different microstructures during dry sliding, 44
Thin film lubrication
thin film lubrication. Part I: Study on the transition between EHL and thin film lubrication using a relative optical interference intensity technique, 107
Titanium nitride
the tribological characteristics of titanium nitride coatings. Part I. Coating thickness effects, 12
the tribological characteristics of titanium nitride coatings. Part II. Comparisons of two deposition processes, 22
Tool–chip interface
a revised model for predicting surface roughness in turning, 143
Transformation sensitivity
effects of surface-finishing condition and annealing on transformation sensitivity of a 3 mol.% Y_2O_3 stabilized tetragonal zirconia surface under interaction of lubricant, 204
Tribocharging
tribocharging and friction in insulators in ambient air, 185
Tribochemical reactions
homogeneous and heterogeneous thermal decomposition of diphenyl disulphide, 212
Triboelectrification
tribocharging and friction in insulators in ambient air, 185
Tungsten carbide
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228

Ultrasonic wave
the micro-mechanism of friction drive with ultrasonic wave, 137

Wear
the tribological characteristics of titanium nitride coatings. Part I. Coating thickness effects, 12
the tribological characteristics of titanium nitride coatings. Part II. Comparisons of two deposition processes, 22
friction and wear model for a heavily loaded sliding pair. Part I. Metal damage and fracture model, 71
reciprocal sliding wear of SiC particle-reinforced Al–Cu aluminium matrix composites against stainless steel, high speed tool steel and ceramics. II. Wear mechanisms, 126
friction and wear mechanisms of a thermoplastic composite GF/PA6 subjected to different thermal histories, 178

Wear debris
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Wear map
comparative wear mapping techniques. I. Friction and wear mapping of tungsten carbide/silicon carbide, 219
comparative wear mapping techniques. II. Surface roughness and fractal dimension mapping of tungsten carbide/silicon carbide, 228
Wear mechanisms
analysis of the friction and wear mechanisms of structural ceramic coatings. Part 1: The effect of processing conditions, 1
reciprocal sliding wear of SiC particle-reinforced Al–Cu aluminium matrix composites against stainless steel, high speed tool steel and ceramics. II. Wear mechanisms, 126
well-founded selection of materials for improved wear resistance, 238
Wear rate
effect of element additions on wear property of eutectic aluminium–silicon alloys, 54
Wear resistance
well-founded selection of materials for improved wear resistance, 238
Wire drawing
frictional characteristics of fatty-based oils in wire drawing, 30

XPS and reflecting FT-IR analyses
friction and wear behaviors of nitrogen ion-implanted polyimide against steel, 103
X-ray diffraction
surface residual stresses in machined austenitic stainless steel, 168

Zirconia surface
effects of surface-finishing condition and annealing on transformation sensitivity of a 3 mol.% Y_2O_3 stabilized tetragonal zirconia surface under interaction of lubricant, 204